



NARAYANA COLLEGE OF NURSING

Chinthareddypalem, Nellore - 524003. A.P.


Ph No: 0861-2317969 | Fax: 0861-2311968.

e-mail: narayana_nursing@yahoo.co.in | | principal.ncn@narayanannursingcollege.com

website: <https://www.narayanannursingcollege.com>



IT-LAN Diagram for the institution



IT-LAN Diagram

Dy. B. Anuj
Principal

NARAYANA COLLEGE OF NURSING
Chinthareddypalem,
NELLORE - 524 003



NARAYANA COLLEGE OF NURSING

Chinthareddypalem, Nellore - 524003. A.P.


Ph No: 0861-2317969 | Fax: 0861-2311968.

e-mail: narayana_nursing@yahoo.co.in || principal.ncn@narayananursingcollege.com

website: <https://www.narayananursingcollege.com>



IT -LAN FACILITY WITHIN THE CAMPUS



LAN at 1ST Floor

Dr. B. Anuj
Principal
NARAYANA COLLEGE OF NURSING
Chinthareddypalem,
NELLORE - 524 003



NARAYANA COLLEGE OF NURSING

Chinthareddypalem, Nellore - 524003. A.P.

Ph No: 0861-2317969 | Fax: 0861-2311968.

e-mail: narayana_nursing@yahoo.co.in || principal.ncn@narayanannursingcollege.com

website: <https://www.narayanannursingcollege.com>



LAN at 2nd Floor

Dr. B. Bhanu
Principal
NARAYANA COLLEGE OF NURSING
Chinthareddypalem,
NELLORE - 524003




NARAYANA COLLEGE OF NURSING

Chinthareddypalem, Nellore - 524003. A.P.

Ph No: 0861-2317969 | Fax: 0861-2311968.

e-mail: narayana_nursing@yahoo.co.in || principal.ncn@narayanannursingcollege.com

website: <https://www.narayanannursingcollege.com>



LAN at Digital Evaluation Correction (DEC) Room

Dr. B. Srinivas
Principal

NARAYANA COLLEGE OF NURSING
Chinthareddypalem,
NELLORE - 524 003




NARAYANA COLLEGE OF NURSING

Chinthareddypalem, Nellore - 524003. A.P.

Ph No: 0861-2317969 | Fax: 0861-2311968.

e-mail: narayana_nursing@yahoo.co.in || principal.ncn@narayanannursingcollege.com

website: <https://www.narayanannursingcollege.com>



Nellore, Andhra Pradesh, India
Chinthareddypalem, Nellore, Andhra Pradesh 524003, India
Lat 14.424495°
Long 80.014833°
06/05/24 02:12 PM GMT +05:30

LAN at Principal Cabin

Dr. B. Babu
Principal

NARAYANA COLLEGE OF NURSING
Chinthareddypalem,
NELLORE - 524 003

Dr. B. Babu
Principal

NARAYANA COLLEGE OF NURSING
Chinthareddypalem,
NELLORE - 524 003



NARAYANA COLLEGE OF NURSING

Chinthareddypalem, Nellore - 524003. A.P.

Ph No: 0861-2317969 | Fax: 0861-2311968.

e-mail: narayana_nursing@yahoo.co.in | | principal.ncn@narayanannursingcollege.com

website: https://www.narayanannursingcollege.com



IT STOCK REGISTER- JUNE, 2023 to MAY, 2024

| DATE OF ENTRY | CATG_DESC | ITEMCODE | ITEMNAME | BATCHNO | QTY | UNIT | APPROX_PRT | SIGNED BY |
|---------------|----------------------|------------|-------------------------------|------------|-----|---------|------------|--------------------|
| 24-05-2024 | COMPUTER CONSUMABLES | HC05031857 | EPSON INKJET BOTTLE (CYAN) | G240100145 | 1 | NUMBERS | 450.052 | <i>[Signature]</i> |
| 24-05-2024 | COMPUTER CONSUMABLES | HC05031947 | EPSON INKJET BOTTLE (MAGENTA) | G240100145 | 1 | NUMBERS | 450.052 | <i>[Signature]</i> |
| 24-05-2024 | COMPUTER CONSUMABLES | HC05032023 | EPSON INKJET BOTTLE (YELLOW) | G240100145 | 1 | NUMBERS | 450.052 | <i>[Signature]</i> |
| 24-05-2024 | COMPUTER CONSUMABLES | HC05031815 | EPSON INKJET BOTTLE(BLACK) | G240100145 | 1 | NUMBERS | 330.046 | <i>[Signature]</i> |
| 24-05-2024 | COMPUTER CONSUMABLES | HC05031815 | EPSON INKJET BOTTLE(BLACK) | G240900233 | 1 | NUMBERS | 330.046 | <i>[Signature]</i> |
| 24-05-2024 | COMPUTER CONSUMABLES | HD18L00001 | LCD VGA CABLE | G220800007 | 11 | NUMBERS | 2200 | <i>[Signature]</i> |
| 24-05-2024 | COMPUTER CONSUMABLES | HD18P00001 | POWER CABLES | G220600309 | 11 | NUMBERS | 9284 | <i>[Signature]</i> |
| 24-05-2024 | COMPUTER CONSUMABLES | HD18P00001 | POWER CABLES | G230800333 | 2 | NUMBERS | 1688 | <i>[Signature]</i> |
| 24-05-2024 | COMPUTER CONSUMABLES | HD18P00001 | POWER CABLES | G241000047 | 1 | NUMBERS | 844 | <i>[Signature]</i> |
| 24-05-2024 | COMPUTER CONSUMABLES | HD18P00001 | POWER CABLES | G241000054 | 1 | NUMBERS | 844 | <i>[Signature]</i> |
| 03-04-2024 | COMPUTER EQUIPMENTS | HC17100650 | CEILING MOUNT KIT | G220600198 | 11 | NUMBERS | 170032.5 | <i>[Signature]</i> |
| 03-04-2024 | COMPUTER EQUIPMENTS | HC17100650 | CEILING MOUNT KIT | G230700282 | 4 | NUMBERS | 61830 | <i>[Signature]</i> |
| 03-04-2024 | COMPUTER EQUIPMENTS | HD02L00001 | COMPUTER SYSTEM | G220600268 | 7 | NUMBERS | 140000 | <i>[Signature]</i> |
| 03-04-2024 | COMPUTER EQUIPMENTS | HD01010513 | LED PROJECTOR | G220700270 | 4 | NUMBERS | 220160 | <i>[Signature]</i> |
| 03-04-2024 | COMPUTER EQUIPMENTS | HD01010513 | LED PROJECTOR | G220800159 | 1 | NUMBERS | 55040 | <i>[Signature]</i> |

Dr. B. Anuraj
Principal
NARAYANA COLLEGE OF NURSING
Chinthareddypalem,
NELLORE - 524 003



NARAYANA COLLEGE OF NURSING

Chinthareddypalem, Nellore - 524003. A.P.

Ph No: 0861-2317969 | Fax: 0861-2311968.

e-mail: narayana_nursing@yahoo.co.in | principal.ncn@narayanannursingcollege.com

website: https://www.narayanannursingcollege.com



| | | | | | | | | |
|------------|---------------------|------------|----------------------------|------------|-----|---------|-----------|------|
| 17-03-2024 | COMPUTER EQUIPMENTS | HC14092400 | PROJECTOR SCREEN(LCD) | G220800041 | 1 | NUMBERS | 6779.5 | Lead |
| 17-03-2024 | COMPUTER EQUIPMENTS | HC14092400 | PROJECTOR SCREEN(LCD) | G230500355 | 1 | NUMBERS | 6779.5 | Lead |
| 17-03-2024 | COMPUTER EQUIPMENTS | HC14092400 | PROJECTOR SCREEN(LCD) | G230700312 | 2 | NUMBERS | 13559 | Lead |
| 17-03-2024 | COMPUTER EQUIPMENTS | HC14092400 | PROJECTOR SCREEN(LCD) | G230800334 | 2 | NUMBERS | 13559 | Lead |
| 17-03-2024 | COMPUTER EQUIPMENTS | HD23112617 | ROUTER | G220600178 | 10 | NUMBERS | 29000.03 | Lead |
| 17-03-2024 | COMPUTER EQUIPMENTS | HD15W00001 | WEB CAM | G220600310 | 1 | NUMBERS | 800 | Lead |
| 02-02-2024 | ELECTRICAL | EL12061834 | HDMI CABLE | G220600287 | 110 | METERS | 18410.37 | Lead |
| 02-02-2024 | ELECTRICAL | EL04043926 | METAL CLAMP 1INCH (ELE) | C230700026 | 70 | NUMBERS | 185.92 | Lead |
| 14-01-2024 | GEN-MAINTAINANCE | EL10102228 | WOODEN PLUGS PACKETS | C230700026 | 6 | PACK | 30.486 | Lead |
| 14-01-2024 | HARDWARE(GENERAL) | EL03100019 | METAL SCREWS 1 INCH | C230700026 | 22 | NUMBERS | 11 | Lead |
| 23-12-2024 | STATIONARY | PS01A00005 | AA CELLS | G230500114 | 22 | NUMBERS | 176 | Lead |
| 23-12-2024 | STATIONARY | PS01A00005 | AA CELLS | G230600210 | 8 | NUMBERS | 64 | Lead |
| 23-12-2024 | STATIONARY | PS01A00005 | AA CELLS | G231200162 | 10 | NUMBERS | 80 | Lead |
| 23-12-2024 | STATIONARY | PS01A00005 | AA CELLS | G240600248 | 14 | NUMBERS | 112 | Lead |
| 15-11-2023 | STATIONARY | PS01A00006 | AAA CELLS | G220700189 | 12 | NUMBERS | 81.6 | Lead |
| 15-11-2023 | STATIONARY | PS01A00006 | AAA CELLS | G220900222 | 8 | NUMBERS | 54.4 | Lead |
| 15-11-2023 | STATIONARY | PS01A00006 | AAA CELLS | G230700209 | 10 | NUMBERS | 68 | Lead |
| 15-11-2023 | STATIONARY | ST02L00002 | LONG NOTE BOOK 240 P RULED | G230600197 | 1 | NUMBERS | 26 | Lead |
| 15-11-2023 | STATIONARY | ST03P00005 | PHOTO PAPER | G230300367 | 35 | NUMBERS | 133.805 | Lead |
| 18-10-2023 | CCTV CAMERAS | CC18011643 | 6 U RACK | G220700061 | 1 | NUMBERS | 2517.958 | Lead |
| 18-10-2023 | CCTV CAMERAS | CC27111203 | CCTV CABLE | 9.9.17 | 3 | BUNDLE | 10565.871 | Lead |
| 18-10-2023 | CCTV CAMERAS | CC22033326 | I.P CAMERA | G240900158 | 1 | NUMBERS | 5850.004 | Lead |

Dr. B. Anurag
Principal
NARAYANA COLLEGE OF NURSING
Chinthareddypalem,
NELLORE - 524 003



NARAYANA COLLEGE OF NURSING

Chinthareddypalem, Nellore - 524003. A.P.

Ph No: 0861-2317969 | Fax: 0861-2311968.

e-mail: narayana_nursing@yahoo.co.in | | principal.ncn@narayanannursingcollege.com

website: https://www.narayanannursingcollege.com



| | | | | | | | | |
|------------|----------------------|------------|---------------------------------|------------|-----|---------|----------|------------|
| 05-09-2023 | COMPUTER CONSUMABLES | HD21115759 | 24 PORT MANAGEABLE SWITCH | G220800130 | 2 | NUMBERS | 20000 | <i>Law</i> |
| 05-09-2023 | COMPUTER CONSUMABLES | HD21115759 | 24 PORT MANAGEABLE SWITCH | G221100335 | 1 | NUMBERS | 10000 | <i>Law</i> |
| 05-09-2023 | COMPUTER CONSUMABLES | AT28102104 | 4U RACK | G220700061 | 1 | NUMBERS | 3553.358 | <i>Law</i> |
| 05-09-2023 | COMPUTER CONSUMABLES | AT28102104 | 4U RACK | G220800130 | 1 | NUMBERS | 3553.358 | <i>Law</i> |
| 05-09-2023 | COMPUTER CONSUMABLES | HC28051248 | 8GB DDR3 RAM | G231000218 | 1 | NUMBERS | 974.999 | <i>Law</i> |
| 05-09-2023 | COMPUTER CONSUMABLES | HC21122108 | AHUJA SPEAKER CABLE 23/36 GAUGE | G220600249 | 200 | METERS | 16200.2 | <i>Law</i> |
| 25-08-2023 | COMPUTER CONSUMABLES | HD14C00019 | CALLER MIKE | G220600286 | 4 | NUMBERS | 22048.16 | <i>Law</i> |
| 25-08-2023 | COMPUTER CONSUMABLES | HD14C00019 | CALLER MIKE | G230700210 | 4 | NUMBERS | 22048.16 | <i>Law</i> |
| 25-08-2023 | COMPUTER CONSUMABLES | EL06055448 | CCTV CAMERA | 3.3.18 | 2 | NUMBERS | 3848.688 | <i>Law</i> |
| 25-08-2023 | COMPUTER CONSUMABLES | HC10044458 | CMOS BATTERY | G240600259 | 25 | NUMBERS | 250 | <i>Law</i> |
| 25-08-2023 | COMPUTER CONSUMABLES | HD18L00001 | LCD VGA CABLE | G230700292 | 4 | NUMBERS | 800 | <i>Law</i> |
| 25-08-2023 | COMPUTER CONSUMABLES | HD18L00001 | LCD VGA CABLE | G230800333 | 2 | NUMBERS | 400 | <i>Law</i> |
| 25-08-2023 | COMPUTER CONSUMABLES | HD10102430 | MOTHERBOARD | G230300370 | 1 | NUMBERS | 5658.336 | <i>Law</i> |
| 25-08-2023 | COMPUTER CONSUMABLES | HD10102430 | MOTHERBOARD | G230500087 | 1 | NUMBERS | 5658.336 | <i>Law</i> |
| 25-08-2023 | COMPUTER CONSUMABLES | HD10102430 | MOTHERBOARD | G230800125 | 1 | NUMBERS | 5658.336 | <i>Law</i> |
| 25-08-2023 | COMPUTER CONSUMABLES | HD10102430 | MOTHERBOARD | G240800211 | 1 | NUMBERS | 5658.336 | <i>Law</i> |
| 04-07-2023 | COMPUTER CONSUMABLES | CL06P00001 | SMPS | G230500087 | 1 | NUMBERS | 450 | <i>Law</i> |

Dr. S. Anny
Principal
NARAYANA COLLEGE OF NURSING
Chinthareddypalem,
NELLORE - 524 003



NARAYANA COLLEGE OF NURSING

Chinthareddypalem, Nellore - 524003. A.P.

Ph No: 0861-2317969 | Fax: 0861-2311968.

e-mail: narayana_nursing@yahoo.co.in | principal.ncn@narayanannursingcollege.com

website: <https://www.narayanannursingcollege.com>



| | | | | | | | | |
|------------|----------------------|------------|--------------------------|------------|-----|---------|-----------|-------|
| 04-07-2023 | COMPUTER CONSUMABLES | CL06P00001 | SMPS | G240800173 | 1 | NUMBERS | 450 | Lavel |
| 04-07-2023 | COMPUTER CONSUMABLES | HC13110243 | SPEAKER WIRE | G230700210 | 100 | METERS | 5000 | Lavel |
| 04-07-2023 | COMPUTER CONSUMABLES | HC23045312 | USB TO LAN | G240300007 | 2 | NUMBERS | 1534 | Lavel |
| 04-07-2023 | COMPUTER CONSUMABLES | HC23024229 | WALL SPEAKER-30WATTS | G220600286 | 10 | NUMBERS | 49999.94 | Lavel |
| 04-07-2023 | COMPUTER CONSUMABLES | HC23024229 | WALL SPEAKER-30WATTS | G230700210 | 6 | NUMBERS | 29999.964 | Lavel |
| 04-07-2023 | COMPUTER EQUIPMENTS | ST08055036 | CANON LASER JET PRINTER | G231200103 | 1 | NUMBERS | 6100 | Lavel |
| 08-06-2023 | COMPUTER EQUIPMENTS | CP01C00001 | CPU | G240800196 | 1 | NUMBERS | 39506.4 | Lavel |
| 08-06-2023 | COMPUTER EQUIPMENTS | CP01C00001 | CPU | G240800198 | 1 | NUMBERS | 39506.4 | Lavel |
| 08-06-2023 | COMPUTER EQUIPMENTS | HD06102121 | FACIAL BIOMETRICS | G201200174 | 2 | NUMBERS | 45878.4 | Lavel |
| 08-06-2023 | COMPUTER EQUIPMENTS | HD06102121 | FACIAL BIOMETRICS | G240800117 | 1 | NUMBERS | 22939.2 | Lavel |
| 08-06-2023 | COMPUTER EQUIPMENTS | HD19054059 | HP MFP M72625 DEVELOPER | G240300373 | 1 | NUMBERS | 4840.006 | Lavel |
| 08-06-2023 | COMPUTER EQUIPMENTS | HD17045613 | HP MFP M72625 IMAGE UNIT | G240300373 | 1 | NUMBERS | 6462.01 | Lavel |
| 08-06-2023 | COMPUTER EQUIPMENTS | HD26054028 | IRIS SCANNER | G240800412 | 1 | NUMBERS | 7500.08 | Lavel |
| 08-06-2023 | COMPUTER EQUIPMENTS | HD15L00001 | LASER PRINTER | G240100190 | 1 | NUMBERS | 28320 | Lavel |
| 08-06-2023 | COMPUTER EQUIPMENTS | HD05L00001 | LCD MONITOR (TFT) | G240800179 | 1 | NUMBERS | 6500 | Lavel |
| 08-06-2023 | COMPUTER EQUIPMENTS | BQ01S00032 | LCD PROJECTOR | G240800170 | 1 | NUMBERS | 40677 | Lavel |
| 08-06-2023 | COMPUTER EQUIPMENTS | HD03040908 | SSD HARD DISK 512GB | G240800175 | 1 | NUMBERS | 3001.276 | Lavel |
| 08-06-2023 | ELECTRICAL | EL14102521 | AMPLIFIER | G220600286 | 5 | NUMBERS | 30963.125 | Lavel |
| 08-06-2023 | ELECTRICAL | EL12061834 | HDMI CABLE | G230700292 | 80 | METERS | 13389.36 | Lavel |
| 08-06-2023 | ELECTRICAL | EL12061834 | HDMI CABLE | G230800333 | 30 | METERS | 5021.01 | Lavel |
| 12-06-2023 | TELECOM | HD26122602 | MOBILE PHONE | G220300099 | 1 | NUMBERS | 13999.001 | Lavel |

Dr. B. Anuj
Principal

NARAYANA COLLEGE OF NURSING
Chinthareddypalem,
NELLORE - 524 003



NARAYANA COLLEGE OF NURSING

Chinthareddypalem, Nellore - 524003. A.P.

Ph No: 0861-2317969 | Fax: 0861-2311968.

e-mail: narayana_nursing@yahoo.co.in | | principal.ncn@narayanannursingcollege.com

website: <https://www.narayanannursingcollege.com>



| | | | | | | | | |
|------------|---------|------------|------------------------|------------|---|---------|--------|--------------|
| 12-06-2023 | TELECOM | GM02T00010 | TELEPHONE INSTRUMENT | G190200083 | 2 | NUMBERS | 1240 | <i>Leela</i> |
| 12-06-2023 | TELECOM | GM02T00001 | TELEPHONE LINE CARDS | G190200416 | 1 | NUMBERS | 10 | <i>Leela</i> |
| 12-06-2023 | TELECOM | HD17S00002 | TELEPHONE SPRING CARDS | G190200416 | 1 | NUMBERS | 20.435 | <i>Leela</i> |

Dr. B. G. Prasad
Principal

NARAYANA COLLEGE OF NURSING
Chinthareddypalem,
NELLORE - 524 003